Wisconsin Healthy People 2010 Data Package

A local data package developed by the Bureau of Health Information




in collaboration with the Division of Public Health

July, 2003 Updates

Wisconsin Department of Health and Family Services

Dor County




Leading Health Indicators

Binge Drinking

Adults 18+ who consumed 5 or more drinks on one occasion in the past 30 days


Northeast Region



Tobacco Use

Adults 18+ who currently smoke cigarettes


Northeast Region



Obesity and Overweight, 2000-2001

Percent of adults 18+ obese and/or overweight based on Body Mass Index (BMI)






Regular and Vigorous Physical Activity


Adults 18+ who exercise 20 minutes or more at 50% of aerobic capacity, 3 or more times per week

Northeast Region



Health Insurance Coverage


Adults 18+ with coverage entire preceding year Northeast Region



Mortality Due to Coronary Heart Disease

Rates per 100,000 population, age-adjusted to year 2000 standard population


Door County



Mortality Due to Cerebrovascular Disease

Rates per 100,000 population, age-adjusted to year 2000 standard population


Door County



Mortality Due to Lung Cancer

Rates per 100,000 population, age-adjusted to year 2000 standard population


Door County



Mortality Due to Breast Cancer


Rates per 100,000 female population, age-adjusted to year 2000 standard population

Northeast Region




Cerebrovascular Disease Deaths, 1997-2001

number of deaths
Door County




Lung Cancer Deaths, 1997-2001


Number of deaths Door County





Breast Cancer Deaths, 1997-2001

Number of deaths Door County










Environmental Factors

ASSOCIATE VILLE CALL

Hospitalizations for Asthma

Rates per 10,000 population, age-adjusted to year 2000 standard population


Door County



Children in Medicaid/WIC Screened for Lead

Percent of program-eligible children ever tested

Door County




Socioeconomic Indicators

Children In Poverty

Percent of children 0-17 below poverty level, 1999


Door County



Poverty: All Ages

Percent of total county population below poverty level, 1999


Door County



Median Income

1999 median household income (annual)

Door County




Waternal and Child Leath

Infant Mortality


Deaths before age one per 1,000 live births

Northeast Region




First-Trimester Prenatal Care, 2001

Percent of births to mothers who received early prenatal care Door County



Teen Births, 1997-2001

Number of births to mothers less than 20 years of age Door County




Injury and Violence

Motor Vehicle Crashes Related to Alcohol

Percent of crashes where alcohol was a factor


Door County



Homicide rates, 1997-2001 combined

Rates per 100,000 population, age-adjusted to year 2000 standard population

Northeast Region



Sexually Transmitted Diseases

Sexually Transmitted Diseases

Number of chlamydia and gonorrhea cases reported, 1997-2001

Door County

